

L Number	Hits	Search Text	DB	Time stamp
-	392221	(integrat\$4 or combin\$3 or link\$3 or merg\$3 or connect\$3 or bridg\$3 or assembl\$3) WITH (systems or data?bases or applications or middle?ware or end-to-end or point-to-point or b2b or (object near2 broker\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:19
-	2362226	(design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (model\$3 or present\$6 or represent\$6 or design\$3 or prototype\$1 or paradigm or schem\$3 or outlin\$3 or out-lin\$3 or architecture or construct\$4 or frame\$5 or abstract\$3 or blueprint\$1 or blue-print\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:16
-	3470141	(design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:17
-	476096	(test\$3 or evaluat\$3 or analyz\$3 or inspect\$3 or examin\$6) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:17
-	2621	((integrat\$4 or combin\$3 or link\$3 or merg\$3 or connect\$3 or bridg\$3 or assembl\$3) WITH (systems or data?bases or applications or middle?ware or end-to-end or point-to-point or b2b or (object near2 broker\$1))) same (enterprise or (business adj3 organization\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:20
-	734	((((integrat\$4 or combin\$3 or link\$3 or merg\$3 or connect\$3 or bridg\$3 or assembl\$3) WITH (systems or data?bases or applications or middle?ware or end-to-end or point-to-point or b2b or (object near2 broker\$1))) same (enterprise or (business adj3 organization\$1))) and ((design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (model\$3 or present\$6 or represent\$6 or design\$3 or prototype\$1 or paradigm or schem\$3 or outlin\$3 or out-lin\$3 or architecture or construct\$4 or frame\$5 or abstract\$3 or blueprint\$1 or blue-print\$1)) and ((design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1)) and ((test\$3 or evaluat\$3 or analyz\$3 or inspect\$3 or examin\$6) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:22

-	7	(((integrat\$4 or combin\$3 or link\$3 or merg\$3 or connect\$3 or bridg\$3 or assembl\$3) WITH (systems or data?bases or applications or middle?ware or end-to-end or point-to-point or b2b or (object near2 broker\$1))) same (enterprise or (business adj3 organization\$1))) and ((design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (model\$3 or present\$6 or represent\$6 or design\$3 or prototype\$1 or paradigm or schem\$3 or outlin\$3 or out-lin\$3 or architecture or construct\$4 or frame\$5 or abstract\$3 or blueprint\$1 or blue-print\$1)) and ((design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1)) and ((test\$3 or evaluat\$3 or analyz\$3 or inspect\$3 or examin\$6) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1))) and (717/102).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:26
-	7	(((integrat\$4 or combin\$3 or link\$3 or merg\$3 or connect\$3 or bridg\$3 or assembl\$3) WITH (systems or data?bases or applications or middle?ware or end-to-end or point-to-point or b2b or (object near2 broker\$1))) same (enterprise or (business adj3 organization\$1))) and ((design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (model\$3 or present\$6 or represent\$6 or design\$3 or prototype\$1 or paradigm or schem\$3 or outlin\$3 or out-lin\$3 or architecture or construct\$4 or frame\$5 or abstract\$3 or blueprint\$1 or blue-print\$1)) and ((design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1))) and (717/104).clss	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:26
-	3641	(map\$4 or fram\$3 or defin\$5) near7 (connections or relationships or \$5relations or link\$3) near7 (applications or objects or modules or programs or systems)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:18

	<p>74 (((integrat\$4 or combin\$3 or link\$3 or merg\$3 or connect\$3 or bridg\$3 or assembl\$3) WITH (systems or data?bases or applications or middle?ware or end-to-end or point-to-point or b2b or (object near2 broker\$1))) same (enterprise or (business adj3 organization\$1))) and ((design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (model\$3 or present\$6 or represent\$6 or design\$3 or prototype\$1 or paradigm or schem\$3 or outlin\$3 or out-lin\$3 or architecture or construct\$4 or frame\$5 or abstract\$3 or blueprint\$1 or blue-print\$1)) and ((design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1)) and ((test\$3 or evaluat\$3 or analyz\$3 or inspect\$3 or examin\$6) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1))) and ((map\$4 or fram\$3 or defin\$5) near7 (connections or relationships or \$5relations or link\$3) near7 (applications or objects or modules or programs or systems) )</p> <p>0 (((((integrat\$4 or combin\$3 or link\$3 or merg\$3 or connect\$3 or bridg\$3 or assembl\$3) WITH (systems or data?bases or applications or middle?ware or end-to-end or point-to-point or b2b or (object near2 broker\$1))) same (enterprise or (business adj3 organization\$1))) and ((design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (model\$3 or present\$6 or represent\$6 or design\$3 or prototype\$1 or paradigm or schem\$3 or outlin\$3 or out-lin\$3 or architecture or construct\$4 or frame\$5 or abstract\$3 or blueprint\$1 or blue-print\$1)) and ((design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1)) and ((test\$3 or evaluat\$3 or analyz\$3 or inspect\$3 or examin\$6) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1))) and ((map\$4 or fram\$3 or defin\$5) near7 (connections or relationships or \$5relations or link\$3) near7 (applications or objects or modules or programs or systems) )) and 717.class</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p> <p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/06/29 13:18</p> <p>2004/06/29 13:19</p>
--	---	---	---

-	2	(((integrat\$4 or combin\$3 or link\$3 or merg\$3 or connect\$3 or bridg\$3 or assembl\$3) WITH (systems or data?bases or applications or middle?ware or end-to-end or point-to-point or b2b or (object near2 broker\$1))) same (enterprise or (business adj3 organization\$1))) and ((design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (model\$3 or present\$6 or represent\$6 or design\$3 or prototype\$1 or paradigm or schem\$3 or outlin\$3 or out-lin\$3 or architecture or construct\$4 or frame\$5 or abstract\$3 or blueprint\$1 or blue-print\$1)) and ((design\$3 or form\$3 or formulat\$3 or creat\$3 or generat\$3 or devis\$3 or produc\$3 or construct\$3 or build\$3 or develop\$6 or establish\$4) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1)) and ((test\$3 or evaluat\$3 or analyz\$3 or inspect\$3 or examin\$6) near7 (\$5structure\$1 or foundation or principle\$1 or bas\$3 or frame\$5 or platform\$1 or plat-form\$1 or schem\$3 or architecture or standard\$1 or rule\$1 or logic\$1 or specification\$1))) and ((map\$4 or fram\$3 or defin\$5) near7 (connections or relationships or \$5relations or link\$3) near7 (applications or objects or modules or programs or systems) )) and (717/102 or 717/104).class readiness near (check\$3 or test\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 14:10
-	463		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 14:11
-	8	((map\$4 or fram\$3 or defin\$5) near7 (connections or relationships or \$5relations or link\$3) near7 (applications or objects or modules or programs or systems) ) and (readiness near (check\$3 or test\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 14:11